Model Code Selector

Model Code Selector

	Series	A		B	C	D		E	F	G	H	I	J	K	L		
DX	10	12	-	T	G		-						1			-	NNN

(Special Execution On Request)

A Configuration

1	1 x Single Canister - 1 x DX Cartridge
2	1 x Single Canister + 1 x Dual Extender - 2 x DX Cartridge
3	1 x Single Canister + 1 x Triple Extender - 3 x DX Cartridge
4	2 x Single Canister + 2 x Dual Extenders - 4 x DX Cartridge
6	2 x Single Canister + 2 x Triple Extender - 6 x DX Cartridge
9	3 x Single Canister + 3 x Triple Extender - 9 x DX Cartridge
12	4 x Single Canister + 4 x Triple Extender - 12 x DX Cartridge

B Mounting

T	Backplate/Tray

C Insert

G	Green

D Feed Type

Configuration			
	1-6	A	110v
		B	220v
		C	415v
	9,12	D	110v
		E	220v
		F	415v
		H	Hydraulic
	1-6	P	Pneumatic
	9,12	Q	Pneumatic
		N	None

E Frequency

1	50 Hz
2	60 Hz
N	Not Applicable

F Flow Indicator

V	Visual Indication	
D	Digital Indication	*
C	Both	*
N	None	

G Electrical Start/Stop Control Panel

1	Yes
N	None

H Overspill Sensor

1	Yes
N	None

I Condition Monitoring

1	Tan Delta	*
2	Particle Counter	*
3	Both	*
N	None	

J Interconnection Type

1	Pipework - SS

K Certification

1	Standard
2	Atex Zone 1
3	Atex Zone 2

L Painting
(Motor and Pump Only)

N	None
P	Yes

*** Only available in conjunction with Option G1**

© 2019 Delta-Xero All Rights Reserved.